

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT	O I P E SEP 25 2003 PATENT & TRADEMARK OFFICE 6173	ATTY. DOCKET NO. 7175-68263	SERIAL NO. 09/933,502
		APPLICANT Edward W. Catton et al.	
		FILING DATE August 20, 2001	GROUP 2632 2612

UNITED STATES PATENT DOCUMENTS							
*Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate	
AA							
AB							
AC							
AD							RECEIVED
AE							SEP 29 2003
AF							Technology Center 2600
AG							
AH							
AJ							

FOREIGN PATENT DOCUMENTS							
	Document Number	Date	Country	Class	Subclass	Translation Yes	No
AK							
AL							

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)							
AM	Amico Corporation, Area Alarm Alert-2 Microprocessor Retro-fit Kit, two pages, date unknown.						
AN	Amico Corporation, Combination Alarm Area/Master, two pages, date unknown.						
AO	Amico Corporation, Area Alarm Microprocessor Based with Local or Remote Sensors, two pages, date unknown.						
AP	Amico Corporation, Master Alarm Microprocessor Based ISO - Version, two pages, date unknown.						
AQ	Nellcor Puritan Bennett, Mega Medical Electronic Gas Alarm, four pages, date unknown.						
AR	Tri-Tech Medical Inc., State of the Art Solutions from Tri-Tech Medical, four pages, date unknown.						
AS	Allied Healthcare Products, Inc., Chemetron Medical Division, Chemetron Makes Medical Gas Monitoring Easier, four pages, January 1993.						
AT	Squire-Cogswell Company - Amico Corporation, Medical Gas Systems, four pages, date unknown.						
AU	Squire-Cogswell Aeros, Healthcain® Combination Alarm, two pages, January 1999.						
AV	Squire-Cogswell Aeros, Healthcain® Master Alarm, two pages, January 1999.						
AW	Squire-Cogswell Aeros, Healthcain® Area Alarm with Local or Remote Sensors, two pages, January 1999.						

Examiner	DONNIE L. CROSLAND PRIMARY EXAMINER	Date Considered 12-22-03
----------	--	-----------------------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.